WILDLIFE CORRIDOR ASSESSMENT

VENTURA STATE ROUTE 118 THIRD QUARTER REPORT



WILDLIFE CORRIDOR ASSESSMENT

VENTURA STATE ROUTE 118

THIRD QUARTER REPORT

Submitted to:

Caltrans District 7
Division of Environmental Planning
(Mail Stop 16A)
120 South Spring Street
Los Angeles, California 90012
Contacts:
Paul Caron (213) 897-0610
Amy Pettler (213) 897-8081

Prepared by:

LSA Associates, Inc. 1650 Spruce Street, 5th Floor Riverside, California 92507 (909) 781-9310

LSA Project No. CDT230I



January 13, 2004

TABLE OF CONTENTS

| INTRO | DDUCTION | l |
|-------|------------------------------------------------|----|
| STUDY | Y AREA | 1 |
| METH | ODS | 2 |
| | Scent Stations | |
| | been buttons | 2 |
| | Automated Photo Stations | 3 |
| | Automateu I noto Stations | |
| | Company True also and Coat Communica | 4 |
| | General Track and Scat Surveys | 4 |
| | | |
| | Determining Wildlife Usage of Crossings | 4 |
| | | |
| RESUI | LTS | |
| | Collins Drive and Arroyo Simi | 5 |
| | | |
| | Alamos Canyon West | 6 |
| | • | |
| | Alamos Canyon Road | 6 |
| | | |
| | Alamos Canyon East | 6 |
| | Mainos Canyon East | 0 |
| | Simi Valley Landfill | _ |
| | Simi vaney Landini | 0 |
| | | _ |
| | White Oak Park and Hummingbird Creek | / |
| | | _ |
| | Corriganville Tunnel | 7 |
| | | |
| | Rocky Peak Raod | 7 |
| | | |
| | Santa Susana Arch | 8 |
| | | |
| | Iverson Road | 8 |
| | 2702001 21000 | |
| | Movie Lane | Q |
| | Will Lanc. | 0 |
| | Company Street | 0 |
| | Canoga Street | 8 |
| | | _ |
| | Browns Canyon Creek | 9 |
| | | |
| DISCU | SSION | 9 |
| CONC | LUSION | 10 |

APPENDICES

APPENDIX A - FIGURES

Figure A1: Regional and Location Map Figure A2: Camera and Scent Stations Figure A3: Collins Drive Box Culvert

Figure A4: Alamos Canyon West RC Culvert; Alamos Canyon Underpass; Alamos

Canyon East Pipe Culvert

Figure A5: Simi Valley Landfill Pipe Culvert

Figure A6: White Oak Park
Figure A7: Corriganville Tunnel
Figure A8: Rocky Peak Overcrossing
Figure A9: Santa Susana Arch

Figure A10: Iverson Road

Figure A11: Movie Lane Overcrossing
Figure A12: Canoga Street Underpass
Figure A13: Browns Canyon Creek

Figures A14 – A18: Site Photographs of scent stations and wildlife images taken by camera stations

APPENDIX B – TABLES

Table A: Dimensions of Study Crossings

Table B: Burned Areas and Habitat Types Associated with Wildlife Study Crossings

Table C: List of Camera and Scent Stations for the Ventura State Highway 118 Wildlife Corridor

Study

Table D: Ventura 118 Wildlife Corridor Study Scent Station Observations

Table E: Photo Station Data

Table F: Ventura 118 Wildlife Corridor Study Additional Wildlife Observations

APPENDIX C – SCENT STATION PHOTOGRAPHS AND CAMERA STATION SCHEMATICS

- C1: Video and SLR camera placement for overcrossing (bridge) at Rocky Peak Road and Movie Lane
- C2: Passive Camera station for box culverts at Alamos Canyon, Collins Drive and Corriganville Tunnel
- C3: Passive camera station for pipe culverts at Simi Valley Landfill and Santa Susana Arch
- C4: Passive and active SLR and Video Camera Station for underpass at Alamos Canyon Road and Canoga Street.

APPENDIX D – SPECIES LIST OF ALL WILDLIFE OBSERVED

INTRODUCTION

This is the third quarterly report of a one-year study documenting potential wildlife linkages between the Santa Susana Mountains and the Simi Hills. Thirteen locations that may currently function as crossings along the Ventura State Route 118 (SR-118) (Appendix A, Figure A1) Corridor are included as part of the study. The study area extends from the City of Moorpark, Ventura County, in the west, to Chatsworth (City of Los Angeles), Los Angeles County in the east (Appendix A, Figure A2). The 13 wildlife crossings included in the third-quarter survey are listed from west to east: Collins Drive Box Culvert, Alamos Canyon West Reinforced Concrete (RC) Culverts, Alamos Canyon Underpass, Alamos Canyon East Pipe Culvert, Simi Valley Landfill Pipe Culvert, Hummingbird Creek at White Oak Park, Corriganville Tunnel, Rocky Peak Overcrossing, Iverson Road, Santa Susana Arch, Movie Lane Overcrossing, Canoga Street Underpass, and Browns Canyon Creek. Refer to Appendix A, Figures A1-A15, for maps of crossings and camera and scent station locations.

Prior to the survey, a Work Plan–Field Surveys Document (Work Plan) was prepared by LSA for Caltrans (April 29, 2003) to serve as a guideline in conducting the wildlife surveys throughout the year. During the course of conducting subsequent surveys, minor changes were made to the procedures described in the Work Plan and are reflected in this report. The changes were in respect to the addition of scent stations at specific locations and the elimination of camera stations due to vandalism and theft.

The third wildlife survey was conducted by LSA wildlife biologists. Mike Weller, Mike Ahmer, and Leo Simone installed the camera stations. Scent station preparation was done by Maria Lum (Field Coordinator) and Mike Ahmer. Primarily, Mike Weller and Leo Simone collected data during the first three days of the survey with assistance from Mike Ahmer and Kyle Johnson during the last two days of the survey. Maria Lum prepared the quarterly report with support from LSA Graphics, GIS, and Word Processing Departments. Jack Easton, Principal, reviewed the report prior to submittal to Caltrans. Rick Harlacher, Principal, serves as the Project Manager.

STUDY AREA

The wildlife movement study area includes 13 potential wildlife crossings (Crossings) of SR-118 between Collins Drive in the City of Moorpark on the west and Canoga Avenue in Chatsworth (City of Los Angeles) on the east. The Crossings are RC box culverts, RC pipe culverts, RC arch, corrugated metal pipe culverts, or bridge structures. The bridge structures are called Overcrossings when the Crossing spans over SR-118 and are called Underpasses at locations where SR-118 crosses over a secondary road, wash, or creek. Each type of Crossing located within the study area is listed in Appendix B-Table A, along with its structure dimensions.

In general, all of the Crossings could potentially accommodate the passage of medium-sized to small mammals such as coyotes, bobcats, and rodents. Some existing Crossings with a culvert opening greater than 100 square feet could potentially allow for the passage of larger wildlife species such as bears, mountain lions, and mule deer.

All of the Crossings provide potential linkages between the Santa Susana Mountains in the north and the Simi Hills in the south. Potential linkages through the developed areas include ridgetops,

canyons, creek beds, and other undeveloped areas. The purpose of this study is to identify which of the Crossings are actually used by wildlife and the reasons Crossings are not being used if wildlife is in the adjacent areas.

The associated plant communities within the study area include a diverse mix of coastal sage scrub, oak woodlands, mule fat scrub, southern willow scrub, southern cottonwood-willow riparian woodland, non-native grasslands, ruderal, and eucalyptus woodland. A wildfire spread from the Los Angeles National Forest south into Simi Valley during the last week of October 2003 and first week of November 2003. The fire crossed SR-118 at Collins Drive, Corriganville Tunnel, and Alamos Canyon. The burned areas and the habitat types observed at each Crossing are listed in Appendix B, Table B.

METHODS

In the vicinity of each Crossing, the presence and diversity of wildlife were documented using scent stations, general scat and track surveys, and direct observations. In addition, photo stations were set up at the Crossings to determine direct wildlife use of the Crossings. The second survey was conducted August 17 through August 22, 2003. The third survey was delayed by two weeks due to the wildlife fires in Simi Valley, but was conducted from November 17 through 22, 2003. The final quarterly wildlife survey will be conducted in February 2004.

Scent Stations

The purpose of the scent stations is to help determine the species of wildlife in the vicinity of the Crossings and the frequency of their presence. These data will help to give an overview of the wildlife population that can then be compared with actual wildlife usage of the Crossings. Various numbers of scent stations were placed from 100 to 500 feet of the 11 Crossings, for a total of 29 scent stations, as listed in Appendix B, Table C. The general location of each scent station, and photo station is shown in Appendix A, Figure A2. Detailed depictions of each scent site and photo station location are depicted in Appendix A, Figures A3 through A15. Since most of the focus species of the survey are carnivores – with the exception of mule deer – efforts to attract carnivores were made through bait selection. The scent station locations were selected based on the topography, accessibility, presence of game trails, and wildlife sign. Photographs are provided in Appendix C, Figure C1 to illustrate the typical scent station installation.

A three-foot metal curb stake was placed in the center of each scent station. The vegetation within a three-foot radius of the stake was cleared so that it would not interfere with making a clear track impression within the tracking medium. Diatomaceous earth (DE) was spread out within the three-foot radius and smoothed to an even finish with a concrete trowel to provide a medium that would aid in the identification of tracks.

The bait was placed in a 12-inch by 12-inch bag constructed of a fine-meshed metal screen. The bait was added daily to maintain a strong odor. The bait bag was fastened to the stake using bailing wire. The bait consisted of canned seafood-flavored cat food, beef liver, and carp during the first survey. Beef liver and moist cat food was used during the third survey.

Each scent station was checked daily during the survey period, and all clearly identifiable tracks at each station were recorded to genus and species, where possible. Once all tracks were recorded, the DE was smoothed and additional DE was added when necessary.

Automated Photo Stations

Automated photo stations (Trail Master) were set up at each end of the nine wildlife crossings, as listed in Appendix B, Table C, and depicted in Appendix A, Figure A2. A total of 19 35-mm and video cameras was included as part of the third survey. The location of each camera station is shown in Appendix A, Figures A3-A13. Schematics of the camera station installations are provided in Appendix C, Figures C2-C5. Each of the Crossings was covered with at least two cameras; one photo station spanning the bottom of the crossing on each end. Passive photo stations were used at most of the culvert crossings and mounted to either the ceiling or high up on the sidewalls of the culverts to help deter vandalism.

Passive, active, and video camera stations were used. Passive camera stations were placed in locations where the area to be covered was narrow and confined. Passive cameras used movement sensors. The passive photo stations consisted of a sensing unit that sensed heat and movement in a detection area in the shape of a fan. The sensing unit was placed so it could detect anything that crossed in the vertical plane of detection. The camera was also mounted near the ceiling and connected to the sensing unit with a cord.

Active camera stations were 35-mm single-lens reflex (SLR) cameras installed with infrared sensing units. The active cameras were used in locations where a wide span needed to be covered by the camera. A photograph was taken when the light beam was blocked between the camera and the sensor. Active photo stations consisted of an infrared sensing unit (transmitter and receiver) and a camera with a cord connected to the sensing unit. Active stations were installed at Movie Lane, Canoga, and Alamos Canyon Road. Since the spans of the Crossings are so wide, a laser was used to aid in aligning the invisible infrared beam on the transmitter units. The camera was triggered whenever the infrared light beam was broken. Both pieces of the sensing unit and the camera were mounted to a 3-foot metal curb stakes, which were positioned to detect movement entering and exiting each Crossing. Both pieces of the sensing unit were adjusted to a height of approximately 18 inches to target medium-to-large mammals (e.g., raccoons, bobcats, deer, and mountain lions). The camera was positioned behind and up-slope of the receiver unit, so that both units were in the frame of the camera viewfinder and offset so that the flash did not overexpose the receiver unit in the foreground, diminishing the clarity of the background. Excess cord connecting the receiving unit and the camera was securely fastened to the stakes to prevent disturbance by animals or wind.

Video camera stations were installed at high-traffic (vehicle and human) crossings in order to increase the recording capacity. Video images were captured in the same manner as the passive SLR cameras, using with passive and active sensors.

The 35-mm cameras and sensors at Alamos Canyon Road were stolen immediately after installation during the third survey. Instead of risking the loss of additional camera and sensor equipment at this crossing, a scent station was placed in the center of the Alamos Canyon Road underpass. The Simi Valley Landfill South camera was stolen, but was recovered by police on November 19, 2003. This

camera station was reinstalled for use on November 19, 2003, since the thief had been apprehended and the risk of repeated theft was low.

The video cameras were set up at Rocky Peak Road and Canoga Street using the passive and active sensors. The passive sensors were placed on their sides to detect any activity that crossed the vertical plane. The passive sensors at Canoga Street were augmented with an active sensor to help extend the range of sensitivity. The video cameras were chained to structures to help deter theft and vandalism.

The video cameras at Canoga and Rocky Peak were tampered with but not stolen. The canisters were detached from the mounts and cameras could have been taken but were left behind by the vandals. The camera station at Canoga was not reinstalled. The northern video camera at Rocky Peak was removed and replaced with a passive 35-mm camera. The southern video camera at Rocky Peak was not tampered and left as part of the third survey. Three small LED lights were used at Rocky Peak Road to aid in lighting at night. The LED flashlights were stolen and not replaced.

Each photo station was checked each day during the study to ensure that it was functioning properly and that enough film remained to record any activity during the following 24-hour period.

General Track and Scat Surveys

General surveys for tracks and scat were conducted throughout the study area each day in the vicinity of the scent stations, photo stations and along the trails used by the biologists. These surveys consisted of a biologist meandering throughout the study area, locating game trails, and observing sign (e.g., tracks and scat). The surveyor was also on the alert for direct observations of wildlife. Since the study area is so extensive and much of the substrate is hard, the tracks were not cleared each day at the majority of the incidental observed tracks. However, Alamos Canyon East CMP has accumulated sand in the northern end of the pipe. During the second survey, the sand was smoothed out with a trowel daily.

Determining Wildlife Usage of Crossings

The wildlife use of each Crossing, by traversing the entire SR-118 right-of-way, was determined by the presence of tracks at both ends of a culvert that indicated travel in the same direction; by the animal's image captured in the north and south photographs of a pair of camera stations installed at a Crossing; or by tracks in the center of the Crossing. An animal was determined to only be using the adjacent habitat or vegetative cover along SR-118 when the animal was detected at the scent stations or in the vicinity of a scent station, and there was no additional sign indicating that the animal approached, entered, or used the Crossing.

RESULTS

The results of the scent station, and photo station surveys are summarized in Appendix B, Tables D and E, respectively. Wildlife and sign that were observed away from the scent stations, but within the vicinity of the study area, are shown in Appendix B, Table F. A species list of all wildlife observed is included in Appendix D.

The weather during the third survey was warm and dry. Daytime temperatures were in high 70s to low 80s Fahrenheit. Nighttime temperatures were in the 50s. Usually, the sky was partly cloudy or clear.

The Las Llajas and Sand Canyon scent and camera stations were not included as part of the third (November) survey because of the vandalism that occurred during the first (May) survey. Corriganville Tunnel and Iverson Road were added during the second survey and were also part of the third survey. Corriganville Tunnel is a 15-foot high by 15-foot wide RC box culvert located between Kuehner Drive and Rocky Peak Road (Appendix A, Figure A14, photo 1). Two camera stations and four scent stations were installed at Corriganville Tunnel (Appendix A, Figures A14 and A15, photos 2-5). Iverson Road is an underpass approximately one-half mile west of Movie Lane. One scent station was installed southwest of the Iverson Road underpass (Appendix A, Figure A16, photo 6).

Four scent stations were moved to a location that would more likely to be encountered by an animal. The scent station at Collins Drive North was moved away from concrete channel and placed upstream in the natural stream channel (Appendix A, Figure A14, photo 1). The other scent station moved was at Alamos Canyon West-North. This station was moved away from the trail and placed within 100 feet of the box culvert (Appendix A, Figure A14, photo 2). This West-North scent station was vandalized twice during the third survey. The scent station in the channel at Alamos Canyon East-North was moved to the top of the bank to avoid washing away during rains. The last station to be relocated was Movie Lane North (Appendix A, Figure A14, photo 3). This station was moved to a less confining site on the hillside near the road. No photograph was taken of this new location during the third survey.

The following is a summary of the activities and wildlife observations that took place during the third quarter (November 2003) survey. A tabular list of wildlife observations is included in Appendix B, Tables E and F.

Collins Drive and Arroyo Simi

Scent Stations. The scent station located north of SR-118 next to the creek channel (A1) was moved to the stream bank instead of next to the concrete channel to make it more accessible to other wildlife species. Nevertheless, the animals visiting the scent station were the same as previously observed. These species were ground squirrels and other small rodents. Only small rodents visited the scent station on the utility access road (A2). Bobcat and coyote tracks were found south of Collins at the Arroyo Simi stations (B1 and B2). In addition, small rodents and rabbit tracks were seen. The north and south sides of SR-118 and Los Angeles Avenue were burned during the October 2003 wildfire (Figure A15, photo 4).

Camera Stations. Two raccoons used the box culvert during the survey on two occasions. Also, a single opossum was photographed in the Collins Drive box culvert (camera station 1).

Other Wildlife Observations. Raccoon tracks were seen in the surrounding area.

Alamos Canyon West

Scent Stations. Bobcat and coyote visited the newly relocated scent station north (C1) of the west canyon box culverts once during the third survey (Figure A15, photo 5). A domestic dog also visited the station and a raccoon visited the station twice during the survey. Coyotes visited the west canyon south station (C2) twice during the survey. A skunk and small rodents were attracted to this scent station as well. The north and south sides of SR-118 were burned by the October wildfire, although only the edge of the dense riparian vegetation along the active creek channel south of SR-118 had burned. The bait bag at the northwest station (C1) was cut off the stake by a human on November 19 and 20.

Camera Stations. The camera station in west Alamos Canyon (camera station 2) captured a woodrat every night in the western box culvert entrance. On the last night of the survey, a raccoon was photographed skirting next to the camera along the wall of the east culvert. As in the past surveys, no wildlife activity was captured at the southern camera station in the western canyon (camera station 3), although multiple pictures were taken. Vegetation movement mostly likely triggered the camera.

Other Wildlife Observations. Mountain lion tracks were found in the creek sand downstream of the west canyon-south camera station.

Alamos Canyon Road

Scent Stations. An additional scent station was added in the center of the underpass as a substitute for the stolen cameras. Coyote/domestic dog, rabbit, and small rodent tracks were found at the scent stations along Alamos Canyon Road (stations D3, D4, D5).

Camera Stations. The cameras were stolen before the first night of the survey. Camera station 3 was not replaced to avoid losing additional camera equipment.

Other Wildlife Observations. Only small rodent tracks were observed in the vicinity of the Alamos Canyon Road underpass.

Alamos Canyon East

Scent Station. Bobcat tracks were observed after three separate nights at the north scent station (station D1) of Alamos Canyon East. Coyote, skunk and small rodents were also found at the north scent station. The south scent station (station D2) had coyote tracks twice in addition to skunk and small rodents.

Other Wildlife Observations. Coyote tracks were seen in the dirt at the north end of the CMP culvert.

Simi Valley Landfill

Scent Stations. Coyote tracks were found in the north scent station located on the spillway (E1) and near the creek (E3). Rodents and deer tracks were observed alternating nights at the northern scent station (E1). Gray fox and raccoon tracks were found south of SR-118 at the Simi Valley Landfill

(E2). Other species found at both scent stations (E2 and E4) included ground squirrel, small rodents, rabbits, birds, and snake. The October wildfire burned the vegetation north of SR-118.

Camera Stations. The cameras at the Simi Landfill pipe culvert (camera station 4) were pointed directly at the openings during this survey. California towhees, a gopher, woodrat and a small mouse were photographed at the northern entrance of the CMP. At the southern entrance, woodrats were active in the pipe opening during two nights.

Other Wildlife Observations. Other sign in the canyon included coyote and deer tracks.

White Oak Park and Hummingbird Creek

Scent Stations. Coyote, rabbit, and small rodent tracks were seen at both scent stations (F1 and F2). In addition, raccoon and ground squirrel tracks were seen at the Hummingbird Creek station (F2).

Other Wildlife Observations. The same species, ground squirrel and rabbit, were observed away from scent stations.

Corriganville Tunnel

Scent Stations. The open space areas on both sides of SR-118 burned during the October 2003 wildfire (Appendix A, Figure A16, photo 7). Only rodent tracks were captured in the scent stations (G1-G4) north and south of the highway.

Camera Stations. The Corriganville Tunnel cameras (station 5) were not vandalized during the third survey. Only hikers and mountain bikers were photographed in the equestrian tunnel.

Other Wildlife Observations. No other wildlife observations occurred at this crossing.

Rocky Peak Road

Scent Stations. The north scent station (H1) was visited by bobcat and domestic dog. The scent station in the ravine (H2) contained tracks of gray fox, domestic dog, and striped skunk. The southern scent station (H3) attracted bobcat twice during the third survey and also opossum and coyote. Other species observed at the scent stations included small rodents, rabbits, and birds. Only the north side of SR-118 was burned during the October 2003 wildfire (Figure A17, photo 8). The northern scent station stake and bag were removed on November 20, the third day of the survey. The station was rebuilt next to the right-of-way fence. On the last day, high winds blew away the tracking medium at the northern scent station.

Camera Stations. Only automobiles were observed on the bridge (camera station 6) during the third survey. Three LED flashlights were mounted next to the north video camera during the third survey in attempt to provide some ambient light at the north end of Rocky Peak Overpass. The video cameras were timed to only record at night. The northern video camera was tampered with but not stolen. The video camera mount was damaged. The northern video camera station was replaced with

a passive 35-mm camera set to run only at night. Only automobiles and hikers were captured by the 35-mm cameras.

Other Wildlife Observations. None

Santa Susana Arch

Camera Station. Woodrats and birds were common at the entrances of Santa Susanna Arch, especially the southern entrance. The cameras (station 7) also photographed 1 to 2 raccoons using the culvert during the nights of November 19, 20, and 21(Figure A17, photo 9).

Other Wildlife Observations. None

Iverson Road

Scent Station. Only mouse and lizard tracks were observed at Iverson scent station (I1). The tracking medium was blown away during the last survey night, November 21. This area south of SR-118 was not burned during the October fires.

Other Wildlife Observations. None

Movie Lane

Scent Stations. Bobcat tracks were found at the southern scent station (J2) in addition to small rodents and rabbit tracks. Only small rodent tracks were found at the northern scent station (J1). The Movie Lane Overcrossing site was not burned during the October wildfires.

Camera Stations. This overpass is used regularly by residents for leisurely strolls as captured in the 35-mm cameras. The cameras were not disturbed during this survey period. No wildlife was photographed.

Other Wildlife Observations. None

Canoga Street

Camera Stations. Canoga Street underpass (camera station 9) was used frequently by equestrians and other residents taking hikes into the open space area north of SR-118. These video cameras were vandalized although not stolen during the first night of the survey. Only equestrians, hikers and automobiles were captured on film. The video cameras were removed after the first survey night.

Other Wildlife Observations. None

Browns Canyon Creek

Scent Stations. There were no large mammal observations at the scent stations north of SR-118 (K1 and K3). The only observations were small rodents and a skunk. At the southern scent stations (K2 and K4), bobcat and coyote tracks were seen along with small rodent and rabbit tracks. Someone vandalized the north scent station in the creek (K3) on the last two nights/days of the survey. Someone wrote in the tracking medium at scent station K4 and placed a large piece of meat on the stake at station K3.

Other Wildlife Observations. None

DISCUSSION

Similar wildlife observations were made at the Collins Drive scent stations over the last three quarterly surveys. Canid species were not observed during the second and third quarterly surveys, but were observed during the first survey. Raccoons were observed using the camera station during the second and third survey. Animal activity appears to be the same at this crossing before and after the wildfires.

Bobcats were again present north of SR-118 at Alamos Canyon. The bobcats were observed during all three quarterly surveys. Coyotes were observed north and south of SR-118 during all three surveys. Gray fox was observed in the east canyon during this survey, versus the west canyon during the second quarter survey. Coyote and/or dog were present along the Alamos Canyon Road. Bobcat tracks were not found during the third survey, although bobcat did visit the scent stations along the road during the two previous surveys. Mountain lion tracks were seen in the southwest canyon during the third survey and in the northeast canyon during the first survey. Again, wildlife observations seem to be the same as the previous quarterly surveys. The mountain lion tracks were observed in the west canyon where there are still standing trees that provide dense cover, whereas in the other burn areas the shrubs and trees have been burned down to the trunks and limbs.

Bobcats and coyotes were observed at Simi Valley Landfill as in the third survey, although mountain lion was not detected. Mountain lion tracks were found during the second survey at Simi Valley Landfill South. Deer were also observed during this third survey.

Coyote tracks were found again in the White Oak Park and Hummingbird Creek area, but bobcat tracks were not encountered as was during the first and second surveys.

The Corriganville Tunnel crossing was not part of the original study plan, but was added in the second quarterly survey. The camera stations were stolen during the second survey. As before, no large mammal observations were made using the scent stations or cameras during the third survey.

Similar wildlife activity was observed at the Rocky Peak scent stations over the past three quarterly surveys. Bobcat and coyote were observed at the north and south sides of SR-118. Only the north side of Rocky Peak Open Space burned during the October/November wildfires. The camera stations did not capture any wildlife activity on the bridge. Only automobiles were photographed by the video cameras and 35-mm camera at Rocky Peak Road.

Iverson Road scent station only captured small rodent tracks during this survey period. The previous survey, bobcat visited the scent station during the last survey night. At Movie Lane, domestic dogs did not disturb the scent stations as in previous surveys. A bobcat visited the southern scent station at Movie Lane during this survey. The bridge was used frequently by people taking walks as in past surveys.

At Browns Canyon Creek, bobcat tracks were found at a scent station for the first time. Coyote and dogs did not visit the sites this survey. The additional lighting provided by the mounted miniflashlights did provide more lighting at Rocky Peak Overcrossing, but no wildlife observations were made.

Vandalism was common during the third survey. Signs were posted next to each camera in the hopes of deterring tampering. More cameras were either tampered with or stolen during this survey than the second, but the same number as the first survey. Police recovered the stolen camera at Simi Valley Landfill South, but not the camera station at Alamos Road. After the first survey night, the video camera mounts were broken at Canoga and Rocky Peak Road. Surprisingly, the video cameras were not stolen. The cameras were not stolen at Corriganville Tunnel during this quarterly survey. The cameras were mounted a couple of feet higher, approximately 12 feet, to deter theft.

The crossings are in urbanized areas and in recreational areas where there is frequent human activity. Disturbances to the survey scent and camera stations are be caused by either people through the crossings or vagrants living in the adjacent forested areas.

The following procedures will be followed during the forth quarter survey. The video camera stations will be replaced with 35-mm cameras. These smaller cameras will be placed in discreet locations to avoid detection. The cameras will not be mounted until the first day of the survey.

CONCLUSION

Final conclusions and recommendations will be presented with the fourth survey report. Mountain lion activity during the first three quarterly surveys has been documented at four Crossings: White Oak Park, Simi Valley Landfill South, Alamos Canyon West-South, and Alamos Canyon North-East Canyon. Bobcat activity during the first three surveys has been at nine Crossings: Collins Drive South, Alamos Canyon East, Alamos Canyon Road, Alamos Canyon West, Hummingbird Creek, Sand Canyon, Rocky Peak Road, Iverson Road, and Browns Creek Creek. Coyotes have been observed at seven Crossings: Collins Drive-South, Alamos Canyon, Simi Valley Landfill, Browns Canyon Creek, White Oak Park, Corriganville Tunnel, and Rocky Peak. Gray fox has been reported at two Crossings: Alamos Canyon North-West Canyon and Simi Valley Landfill. Deer tracks have been seen at five crossings: Alamos Canyon North, Alamos Canyon South, Simi Valley Landfill North, Simi Valley Landfill South, and Rocky Peak South-Ravine.

The numbers of observations at scent stations before and after the October/November wildfires were similar. For instance, 1 to 2 mountain lion sign, 17 to 20 bobcat sign, and coyote sign varied from 16 to 20. Gray fox ranged from 3 after to 6 track observations before the fire. Deer sign was lower after the fire from 6 observations in August to 3 in November, although only 1 set of deer tracks was found during the first survey in May.

APPENDIX A FIGURES







FIGURE A1

Ventura 118 Wildlife Study Third Quarter Survey November 17th – 22nd, 2003 Regional and Location Map



LSA

© CAMERA STATIONS

- Collins Drive Box Culverts
 Alamos Canyon West RCP Culverts
- 3. Alamos Canyon Underpass* 4. Simi Valley Landfill CMP Culvert
- 5. Hummingbird Creek*
- Vandalized during first survey, therefore eliminated from study.
- 6. Corriganville Tunnel 7. Rocky Peak Road Overcrossing
- 8. Santa Susana Arch
- 9. Movie Lane Overcrossing
- 10. Canoga Street Underpass
- $Scent \, station \, locations \, are \, approximate \, and \, for \, illustrative \, \, purposes \, only. \, \\ BASE \, MAP \, SOURCE: \, 2000 \, Digital \, OrthoMosaic'd \, Air \, Photos, \, SCAG \, Emerge \, Inc.. \, \\$

SCENT STATIONS

- AI. Collins Drive North-Channel
- A2. Collins Drive North-Utility Access Road
- BI. Collins Drive South-West of Creek
- B2. Collins Drive South-East of Dirt Road
- CI. Alamos Canyon North-West Canyon
- DI. Alamos Canyon North-East Canyon
- D2. Alamos Canyon South-East Canyon

D3. Alamos Canyon North-Alamos Canyon Road

- F1. White Oak Park Open Space
 F2. Hummingbird Creek
 G1. Corriganville Tunnel North (West)
 G2. Corriganville Tunnel South (East)
 G3. Corriganville Tunnel South (West)
 G4. Corriganville Tunnel South (East) C2. Alamos Canyon South-West Canyon
- D4. Alamos Canyon South-Alamos Canyon Road
- EI. Simi Valley Landfill North-Canyon Bench
- E2. Simi Valley Landfill South-In R.O.W.
 E3. Simi Valley Landfill North-At Spillway
- E4. Simi Valley Landfill South-Creek Bank F1. White Oak Park Open Space


- HI. Rocky Peak Road North-R.O.W.
- H2. Rocky Peak Road South-Ravine in R.O.W.
- H3. Rocky Peak Road South-Trail
- II. Iverson Road South
 JI. Movie Lane North
- J2. Movie Lane South
- KI. Browns Canyon Creek North-Top of Dike K2. Browns Canyon Creek South-West of Creek
- K3. Browns Canyon Creek North-Bottom of Dike K4. Browns Canyon Creek South-East of Creek

FIGURE A2

Ventura 118 Wildlife Study Third Quarter Survey November 17th - 22th, 2003 Camera and Scent Stations



■ SCENT STATION LOCATIONS PHOTO STATION LOCATION




SCENT STATION LOCATIONS*

PHOTO STATION LOCATION

Source: Photos - 2000 Digital OrthoMosaic'd Air Photos, SCAG/Emerge Inc.

Ventura 118 Wildlife Study Third Quarter Survey November 17th –22nd, 2003 Alamos Canyon West RC Culvert; Alamos Canyon Underpass; Alamos Canyon East Pipe Culvert


^{*}Photostations were vandalized at the Alamos Canyon Road/Ventura 118 Bridge, as a replacement a scent station was constructed under the bridge



SCENT STATION LOCATIONS

PHOTO STATION LOCATION

Ventura 118 Wildlife Study Third Quarter Survey November 17th –22nd , 2003 Simi Valley Landfill Pipe Culvert



SCENT STATION LOCATIONS



LSA

SCENT STATION LOCATIONS

PHOTO STATION LOCATION

Ventura 118 Wildlife Study Third Quarter Survey November 17th –22nd , 2003

Corriganville Tunnel



I S A FIGURE A8

■ SCENT STATION LOCATIONS

PHOTO STATION LOCATION


Ventura 118 Wildlife Study Third Quarter Survey November 17th –22nd , 2003 Rocky Peak Overcrossing



PHOTO STATION LOCATION



SCENT STATION LOCATIONS



LSA FIGURE All

SCENT STATION LOCATIONS

PHOTO STATION LOCATION



PHOTO STATION LOCATION



SCENT STATION LOCATIONS



PHOTOGRAPH 1: Alamos Canyon West - north.



PHOTOGRAPH 2: Collins Road north - creek.



PHOTOGRAPH 3: Alamos north - east.



PHOTOGRAPH 4: Collins Drive - north.



PHOTOGRAPH 5: Alamos Road - north.




PHOTOGRAPH 6: Simi Valley - north.



PHOTOGRAPH 7: Corriganville north.



PHOTOGRAPH 8: Rocky Peak.



PHOTOGRAPH 9: Station Susana - north (11/22/03).

APPENDIX B TABLES

Table A. Dimensions of Study Crossings Surveyed in November 2003

| Wildlife Study Crossing | Approximate Dimensions (feet) |
|--------------------------------------------------|------------------------------------------|
| Collins Drive RC Box Culverts | L: 750, W: 12, H: 8 |
| Alamos Canyon West Double RCP Culverts | L: 816, D: 10 |
| Alamos Canyon Road Underpass | L: 147, W: 126, H: 15 |
| Alamos Canyon East CMP Culvert | L: 600, D: 6 |
| Simi Valley Landfill CMP Culvert | L: 588, D: 6 |
| Corriganville Equestrian Tunnel (RC Box Culvert) | L: 190, W: 16, H: 16 |
| Rocky Peak Road Overcrossing | L: 130, W: 60, |
| Santa Susana Arch | L: 130, W: 5, H: 6 |
| Movie Lane Overcrossing | L: 130, W: 60, |
| Canoga Street Underpass | L: 132, W: 85 at base, 170 at top, H: 17 |
| Browns Canyon Creek | L: 130, W: 400 , H: 100 |

Note: RC = Reinforced Concrete, RCP = Reinforced Concrete Pipe, CMP = Corrugated Metal Pipe, L = Length or Distance Perpendicular to SR-118, W = Width or Distance Parallel to SR-118, H = Height, D = Diameter

 $Table\ B.\ Habitat\ Types\ Associated\ with\ Wildlife\ Study\ Crossings$

| Wildlife Study Crossing | Vegetation Type | Dominant Plant Species |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Collins Drive - North of SR 118 | Burned during Simi Valley Fire October 2003 California Sagebrush-California buckwheat Series | California buckwheat, sagebrush, chamise, laurel sumac, chaparral yucca |
| Collins Drive - South of SR 118 | Burned during Simi Valley Fire October 2003 Mulefat Series and Mixed Willow Series | Mulefat and Non-native grasses; Fremont cottonwood, mulefat, mugwort, willow |
| Alamos Canyon - North of SR 118 | Burned during Simi Valley Fire October 2003 California Sagebrush-California buckwheat Series, Coast Live Oak Series, Mixed Willow Series | Coyote brush, California buckwheat, Chaparral yucca, California sagebrush, cottonwood, willow, rushes |
| Alamos Canyon - South of SR 118 | West canyon burned during Simi Valley Fire October 2003 California Sagebrush-California buckwheat Series and Coast Live Oak Series | Coyote brush, California buckwheat, Chaparral yucca, California sagebrush, coast live oak, mulefat, elderberry, laurel sumac |
| Simi Valley Landfill - North of SR 118 | Burned during Simi Valley Fire October 2003 California Sagebrush-California buckwheat Series and Coast Live Oak Series | Coyote brush, California buckwheat, Chaparral yucca, California sagebrush, coast live oak, mulefat, elderberry, laurel sumac |
| Simi Valley Landfill - South of SR 118 | California Sagebrush-California buckwheat Series and Coast Live Oak Series | Coyote brush, California buckwheat, Chaparral yucca, California sagebrush, Coast Live Oak, mulefat, elderberry, laurel sumac |
| White Oak Park Open Space | Burned during Simi Valley Fire October 2003 Annual Grassland | Non-native grasses and scattered Coast Live Oak trees |
| Hummingbird Creek | Burned during Simi Valley Fire October 2003 Coast Live Oak Series and Mixed Willow Series | Coast Live Oak Mulefat and Non-native grasses; Fremont cottonwood, mulefat, mugwort, willow |
| Corriganville Equestrian Tunnel | Burned during Simi Valley Fire October 2003 California Sagebrush-California buckwheat Series | California buckwheat, sagebrush, chamise, laurel sumac, chaparral yucca |
| Rocky Peak Road - North of SR 118 | Burned during Simi Valley Fire October 2003 California Sagebrush-California buckwheat Series | California buckwheat, sagebrush, chamise, laurel sumac, chaparral yucca |
| Rocky Peak Road - South of SR 118 | California Sagebrush-California buckwheat Series | California buckwheat, sagebrush, chamise, laurel sumac, chaparral yucca |
| Santa Susana Arch | North of SR-118 burned during Simi Valley Fire October 2003 Coast Live Oak Series | Oak trees, poison oak |
| Iverson Road | California Sagebrush-California buckwheat Series | California buckwheat, sagebrush, chamise, laurel sumac, chaparral yucca |
| Movie Lane – North of SR 118 | California Sagebrush-California buckwheat Series | California buckwheat, sagebrush, chamise, laurel sumac, chaparral yucca |
| Movie Lane – South of SR 118 | California Sagebrush-California buckwheat Series | California buckwheat, sagebrush, chamise, laurel sumac, chaparral yucca |
| Browns Canyon Creek - North of SR 118 | Eucalyptus series and Fremont Cottonwood series | Mostly eucalyptus trees on canyon slopes with cottonwoods north of the dike |
| Browns Canyon Creek - South of SR 118 | Eucalyptus series and non-native grasses and forbs | Eucalyptus on canyon slopes and sweet clover and non-native grasses in creek channel |

Reference: Sawyer and Keeler-Wolf, 1995. A Manual of California Vegetation.

Table C. List of Camera and Scent Stations for the Ventura State Route 118 Wildlife Corridor Study – Nov. 2003

| Map Labels 1 2 3 4 5 6 7 8 9 | | Cam | eras | Man | Scent Stations | | | | |
|----------------------------------|----------------------------------|------------------------------------|-----------------|---------------|----------------------------------------------|--|--|--|--|
| | Camera Station/Crossing Location | North | South | Map Labels | | | | | |
| Labels | | West Bound | East Bound | Labels | | | | | |
| 1 | Collins Drive R.C. Box Culverts | 1-Passive 35 mm | 1-Passive 35-mm | A1 | Collins Drive North-Channel | | | | |
| 2 | Alamos Canyon West RCP Culverts | 1-Passive 35 mm | 1-Passive 35-mm | A2 | Collins Drive North-Utility Access Road | | | | |
| | , | 1-Passive 35 mm | | | · | | | | |
| | Alamos Canyon Road Underpass | 1-Active 35 mm | 1-Active 35-mm | B1 | Collins Drive South-West of Creek | | | | |
| | Simi Valley Landfill CMP Culvert | 1-Passive 35 mm | 1-Passive 35-mm | B2 | Collins Drive South-East of Dirt Road | | | | |
| 5 | Corriganville Tunnel | 1-Passive 35 mm | 1-Passive 35-mm | C1 | Alamos Canyon North- West Canyon | | | | |
| 6 | Rocky Peak Road Overcrossing | 1-Passive video 1 Passive 35 mm | 1-Passive video | C2 | Alamos Canyon South-West Canyon | | | | |
| 7 | Santa Susana Arch | 1-Passive 35 mm | 1-Passive 35-mm | D1 | Alamos Canyon North-East Canyon | | | | |
| 8 | Movie Lane Overcrossing | 1-Active 35 mm | 1-Active 35-mm | D2 | Alamos Canyon South-East Canyon | | | | |
| 0 | Canoga Street Underpass | 1-Active - 35mm | 1-Active 35-mm | D3 | Alamos Canyon North-Alamos Canyon Road | | | | |
| 9 | Canoga Street Oliderpass | 1-Active video | 1-Active video | D4 | Alamos Canyon South-Alamos Canyon Road | | | | |
| | | | | D5 | Alamos Canyon Road-Center of Underpass | | | | |
| | | | | E1 | Simi Valley Landfill North-Canyon Bench | | | | |
| | | | | E2 | Simi Valley Landfill South-In ROW | | | | |
| | | | | E3 | Simi Valley Landfill North-At Spillway | | | | |
| | | | | E4 | Simi Valley Landfill South-Creek Bank | | | | |
| | | | | F1 | White Oak Park Open Space | | | | |
| | | | | F2 | Hummingbird Creek | | | | |
| | | | | G1 | Corriganville Tunnel North-West | | | | |
| | | | | G2 | Corriganville Tunnel North-East | | | | |
| | | | | G3 | Corriganville Tunnel South-West | | | | |
| | | | | G4 | Corriganville Tunnel South-East | | | | |
| | | | | H1 | Rocky Peak Road North-R.O.W. | | | | |
| | | | | H2 | Rocky Peak Road South-Ravine in R.O.W. | | | | |
| | | | | Н3 | Rocky Peak Road South-Trail | | | | |
| | | | | I1 | Iverson Road South | | | | |
| | | | | J1 | Movie Lane North | | | | |
| | | | | J2 | Movie Lane South | | | | |
| | | | | K1 | Browns Creek North of SR118 – Top of Dike | | | | |
| | | | | K2 | Browns Creek South of SR118 – West of Creek | | | | |
| | | | | К3 | Browns Creek North of SR118 – Bottom of Dike | | | | |
| | | | | K4 | Browns Creek South of SR118 – East of Creek | | | | |

Table D. Ventura 118 Wildlife Corridor Study Scent Station Observations, Nov. 17 - Nov. 22, 2003

| Table D. Ventura 118 Wildlife Corridor Study Scent Station Obser | vation | 15, 11 | υν | 1/- | INOV | . 44, | 200. | 3 | | | | | | | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|--------|--------------|----------|----------|---------------|---------------|---------|---------|-----------------|---------------|--------|--------------|--------|---------------------------|-----------------|-------|
| | Mountain Lion | Bobcat | Coyote | Domestic Dog | Gray Fox | Deer | Striped Skunk | Spotted Skunk | Opossum | Raccoon | Ground Squirrel | Small Rodents | Rabbit | Bird Species | Lizard | Livestock (cow, horse) | Snake | Human |
| A1. Collins North of SR 118 at Creek Channel | | | | | | | | | | | 1 | 3 | 2 | 1 | | | | |
| A2. Collins North of SR 118 at Utility Access Road | | | | | | | | | | | | 4 | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| B1. Collins South of SR 118 - West at Arroyo Simi Creek Bank | | 1 | | | | | | | | | | 4 | 1 | | | | | |
| B2. Collins South of SR 118 - East in Arroyo Simi Flood Plain | | | 1 | | | | | | | | | 1 | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| C1. Alamos Canyon North of SR 118 - West Canyon | | 1 | 1 | 1 | | | | | | 2 | | | | | | | | |
| C2. Alamos Canyon South of SR 118 - West Canyon | | | 2 | | | | 1 | | | | | 3 | | | | | | |
| V | | | | | | | | | | | | | | | | | | |
| D1. Alamos Canyon North of SR 118 - East Canyon | | 3 | 1 | | | | 1 | | | | | 1 | 1 | | | | | |
| D2. Alamos Canyon South of SR 118 - East Canyon | | | 1 | | 1 | | 1 | | 1 | 2 | 3 | 5 | 2 | | | | \Box | |
| | | | | | | | | | | | | | | | | | | |
| D3. Alamos Canyon North of SR 118 - Alamos Canyon Road | | | 2 | 1 | | | | | | | | 1 | | | | | | |
| D4. Alamos Canyon South of SR 118 - Alamos Canyon Road | | | | | | | | | | 1 | | 6 | 2 | | | | | |
| D5. Alamos Canyon Road - Underpass | | | | | | | | | | | | 1 | | | | | | |
| The state of the s | | | | | | | | | | | | | | | | | | |
| E1. Simi Valley Landfill North of SR 118 - Spillway | | | 1 | | | 2 | | | | | | 3 | | | | | | |
| E2. Simi Valley Landfill South of SR 118 - Caltrans R.O.W. | + | | _ | | 1 | | | | | 1 | 1 | 5 | 1 | | | | М | |
| Date Shift 4 tilley Date and State 110 Cuttains 1404444 | | | | | | | | | | 1 | | 5 | - | | | | | |
| E3. Simi Valley Landfill North of SR 118 - Canyon Bench | | | 1 | | | | | | | | 1 | 3 | 1 | | | | | |
| E4. Simi Valley Landfill South of SR 118 - Creek Bank | | | | | | | | | | | 1 | 6 | 3 | 1 | | | 1 | |
| District Creek Built | | | | | | | | | | | 1 | U | | - | | | _ | |
| F1. White Oak Park Open Space North of SR 118 | | | 1 | | | | | | | | | 4 | 4 | | | | | |
| F2. Hummingbird Creek North of SR 118 | | | 2 | | | | | | | 1 | 1 | 2 | 2 | | | | Н | |
| 12. Hummingbru Creek Horth of DK 110 | | | | | | | | | | - 1 | 1 | | | | | | | |
| G1. Corriganville Tunnel North - West | _ | | | | | | | | | | 1 | 6 | 1 | | | | | |
| G2. Corriganville Tunnel North - East | + | | | | | | | | | | 1 | 7 | 1 | | | | \vdash | |
| Oz. Corriguitante Funner Rottin Edist | | | | | | | | | | | | , | - | | | | | |
| G3. Corriganville Tunnel South - West | | | | | | | | | | | | 6 | 1 | | | | | |
| G4. Corriganville Tunnel South - East | + | | | | | | | | | | | 5 | 1 | 1 | | | \vdash | |
| 04. Corrigantine Tunner South - East | | | | | | | | | | | | 5 | 1 | 1 | | | | |
| H1. Rocky Peak Road North of SR 118 - Trail | | 1 | | 1 | | | | | | | | 6 | 2 | | | | | 1 |
| H2. Rocky Peak Road South of SR 118 - Ravine in Caltrans R.O.W. | + | 1 | | 1 | 1 | | 1 | | | | | 2 | 1 | 1 | | | \vdash | - 1 |
| H3. Rocky Peak Road South of SR 118 - Hiking Trail | + | 2 | 1 | 1 | 1 | | -1 | | 1 | | | 5 | 1 | 2 | | | \vdash | |
| 113. Rocky I cak Road South of SK 110 - Hiking 11an | | | 1 | | | | | | 1 | | | 5 | | | | | | |
| I1. Iverson Road South | | | | | | | | | | | | 2 | | | 1 | | H | |
| 11. IVCISOR ROBU DOUGH | | | | | | | | | | | | 2 | | | 1 | | | |
| J1. Movie Lane North of SR 118 | | | | | | | | | | | | 2 | | | | | | |
| I.Z. Movie Lane South of SR 118 | + | 1 | | | | \vdash | \dashv | | | | 1 | 2 | 2 | | | | $\vdash \vdash$ | |
| of Mote Pair South of MY 110 | | 1 | | | | | | | | | 1 | | | | | | | |
| K1. Browns Canyon Creek North of SR 118 - Top of Dike | | | | | | | | | | | | 1 | | | | | | 1 |
| K3. Browns Canyon Creek North of SR 118 - 10p of Dike | - | | | | | \vdash | 1 | | | | | 1 | | | | | $\vdash\vdash$ | 1 |
| ISS. DIAWRS CHRYOR CIECK NOTHER OF SK 118 - DOLLOHE OF DIKE | | | | | | | 1 | | | | | | | | | | | |
| K2. Browns Canyon Creek South of SR 118 - West of Creek | | 1 | | | | | | | | | | 1 | 1 | | | | | |
| · | - | 1 | 2 | | | \vdash | | | | | | 1 | 1 | | | | $\vdash\vdash$ | 1 |
| K4. Browns Canyon Creek South of SR 118 - East of Creek | | | 3 | | | | | | | | | 1 | | | | | | 1 |

Note: Number represents the number of times fresh tracks were observed during the survey.

Table E. Photo Station Data- November 2003 Ventura State Highway 118 Corridor Wildlife Monitoring

| Collins Drive Culver | t (Camera Stati | ion 1) | | |
|----------------------|-----------------|--------------------------------------------------|-----------|-----------------------|
| Date | Time | North | Time | South |
| Nov 17 | 1824 | 2 raccoons in culvert | 1815 | 2 raccoons in culvert |
| Nov 18 | 1846 | 1 raccoon, 2 humans in culvert | Nighttime | 2 raccoons in culvert |
| Nov 20 | 1836 | 1 opossum in culvert | | |
| Alamos Canyon Wes | t (Camera Stat | ion 2) | | |
| Date | Time | North West | Time | North East |
| Nov 18 | 2016 | 1 woodrat | | |
| Nov 19 | 2025 | 1 woodrat | | |
| Nov 20 | 1853-2201 | 1 woodrat | | |
| Nov 21 | 0129 | 1 woodrat | | |
| Nov 22 | 0524 | 1 woodrat | 0045 | 1 raccoon |
| Alamos Canyon Wes | t (Camera Stat | ion 3) | | |
| Date | Time | South | | |
| Nov 17-22 | | No observations, camera was operational | | |
| Alamos Canyon Und | ercrossing (Car | nera Station 3) | | |
| Date | Time | North | Time | South |
| Nov 17 | | Cameras were stolen and not replaced during this | | |
| | | survey period | | |
| Simi Valley Landfill | Culvert (Came | ra Station 4) | | |
| Date | Time | North | Time | South |
| Nov 18 | 1900-2200 | 1 gopher, 1 woodrat, 1 mouse | | |
| Nov 19 | 1152 | 1 bird (CA towhee) | | |
| Nov 19 | 1303 | 1 bird (CA towhee) | 2024 | 1 woodrat |
| Nov 21 | | | 0551 | 1 woodrat |

Table E. Photo Station Data- November 2003 Ventura State Highway 118 Corridor Wildlife Monitoring

| Corriganville Tunnel | (Camera Station 5) | | | |
|----------------------|---------------------|--------------------------|-----------|-------------|
| Date | Time | North | Time | South |
| Nov 17 | | | 0917 | 3 humans |
| Nov 18 | 1706 | 1 human | | |
| Nov 19 | 1110 | 1 human | | |
| Nov 19 | 1654 | 1 human | | |
| Nov 20 | Daytime | 2 humans | | |
| Nov 22 | | | Daytime | 2 humans |
| Rocky Peak Overpass | s (Camera Station 6 | | | |
| Date | Time | North | Time | South |
| Nov 18-22 | | | Nighttime | automobiles |
| Nov 19 | 0340 | 1 automobile | | |
| Nov 19 | 0518 | 1 automobile | | |
| Nov 20 | 0100-0200 | 2 automobiles | | |
| Santa Susana Arch (C | Camera Station 7) | | | |
| Date | Time | North | Time | South |
| Nov 17 | 2100 | 1 woodrat | 1126 | 3 birds |
| Nov 18 | 0305 | 1 woodrat | | |
| Nov 18 | 0825 | 2 birds | | |
| Nov 18 | 1946 | 1 raccoon in culvert | | |
| Nov 18 | 2149 | 1 woodrat | | |
| Nov 18 | 2241 | 1 woodrat inside culvert | | |
| Nov 19 | 0429 | 1 woodrat | | |
| Nov 19 | 1200 | 3 birds | | |
| Nov 19 | 2000 | 1 raccoon in culvert | | |
| Nov 20 | 0507 | 1 woodrat | | |
| Nov 20 | 1900 | 1 woodrat | 1204 | 2 birds |
| Nov 20 | 2109 | 2 raccoons in culvert | | |
| Nov 20 | 2348 | 1 woodrat | | |

Table E. Photo Station Data- November 2003 Ventura State Highway 118 Corridor Wildlife Monitoring

| Movie Lane Overpass (Camera Station 8) | | | | | | | | | | | |
|----------------------------------------|---------------|-----------------------------------|-----------|--------------------------|--|--|--|--|--|--|--|
| Date | Time | North | | South | | | | | | | |
| Nov 17 | 1624 | 1 human | 1624 | 2 humans on golf cart | | | | | | | |
| Nov 17 | 1824 | 2 humans with binoculars | 1824 | 2 humans with binoculars | | | | | | | |
| Nov 18-22 | Daytime | 7 humans, 2 dogs | | | | | | | | | |
| Nov 20 | | | Daytime | 1 human | | | | | | | |
| Nov 21 | | | Daytime | 4 human | | | | | | | |
| Nov 22 | | | 0830 | 2 human | | | | | | | |
| Canoga Undercrossing | g (Camera Sta | tion 9) | | | | | | | | | |
| Date | Time | East End | Time | West End | | | | | | | |
| Nov 18 | Dusk | 2 horses, 2 humans, 2 automobiles | Dusk | none | | | | | | | |
| Nov 19 | Nighttime | 2 automobiles | Nighttime | Vandalized | | | | | | | |
| Nov 19 | Nighttime | Vandalized | | | | | | | | | |


Table F. Ventura 118 Wildlife Corridor Study - Other Wildlife Observations, Nov. 17 - Nov. 22, 2003

| ble F. Ventura 118 Whathe Corridor Study - Other Whathe Observations, Nov. 17 - Nov. 22, 2005 | | | | | | | | | | 00 | | |
|-----------------------------------------------------------------------------------------------|---------------|--------|------------|---------------|----------|------|-------|---------|---------|-----------------|---------------|--------|
| | Mountain Lion | Bobcat | Coyote | Domestric Dog | Gray Fox | Deer | Skunk | Opossum | Raccoon | Ground Squirrel | Small Rodents | Rabbit |
| Collins Drive - North of SR 118 | | | | | | | | | 1T | | | |
| Collins Drive - South of SR 118 | | | | | | | | | | | | |
| Alamos Canyon - North of SR 118 | | | | | | | | | | | | |
| Alamos Canyon South of SR 118 West Canyon | 1T | | | | | | | | | | | |
| Alamos Canyon Road Underpass | | | | | | | | | | | 3T | 1T |
| Alamos Canyon - Inside East Culvert | | | 1 T | | | | | | | | | |
| Simi Valley Landfill - North of SR 118 | | | 1T | | | 1T | | | | | | |
| Simi Valley Landfill - South of SR 118 | | | | | | | | | | | | |
| White Oak Park Open Space | | | | | | | | | | | | 1T |
| Hummingbird Creek | | | | | | | | | | 2T | | |
| Corriganville Tunnel - North | | | | | | | | | | | | |
| Corriganville Tunnel - South | | | | | | | | | | | | |
| Rocky Peak Road North | | | | | | | | | | | | |
| Rocky Peak Road South | | | | | | | | | | | | |
| Rocky Peak Road - North of SR 118 | | | | | | | | | | | | |
| Rocky Peak Road - South of SR 118 | | | | | | | | | | | | |
| Santa Susana Arch | | | | | | | | | | | | |
| Iverson Road - South | | | | | | | | | | | | |
| Movie Lane - North of SR 118 | | | | | | | | | | | | |
| Movie Lane - South of SR 118 | | | | | | | | | | | | |
| Browns Canyon Creek - North of SR 118 | | | | | | | | | | | | |
| Browns Canyon Creek - South of SR 118 | | | | | | | | | | | | |

Note: O - Direct Observation, T - Track, S - Scat, SC - Scent. #T is number of times fresh tracks were observed.

APPENDIX C


SCENT STATION PHOTOGRAPHS AND CAMERA STATION SCHEMATICS



LSA FIGURE C1


Ventura 118 Wildlife Study Second Quarter Survey July 30 – August 3, 2003

Video and SLR Camera Placement for Overcrossings (Bridge) at Rocky Peak Road and Movie Lane




NOTE: Station is mounted on side walls.

Ventura 118 Wildlife Study
Second Quarter Survey
July 30 - August 3, 2003
Passive Camera Station for Box Culverts
at Alamos Canyon and Collins Drive



Ventura 118 Wildlife Study Second Quarter Survey July 30 – August 3, 2003

Passive Camera Station for Pipe Culverts at Simi Valley Landfill and Santa Susana Arch



LSA FIGURE C4

Ventura 118 Wildlife Study Second Quarter Survey July 30 – August 3, 2003

Passive and Active SLR and Video Camera Station for Underpass at Alamos Canyon Road and Canoga Street

APPENDIX D SPECIES LIST OF ALL WILDLIFE OBSERVED

Appendix D – List of Wildlife Species Observed November 2003

Scientific Name Common Name

AVES BIRDS

Sylviidae Old World Warblers and Gnatcatchers

Polioptila californica

California gnatcatcher

Emberizidae

Pipilo crissalis

California towhee

MAMMALIA

MAMMALIS

MAMMALIAMAMMALSMARSUPIALIAMARSUPIALSDidelphidaeOpossums

Didelphis virginianus

LAGOMORPHA

Leporidae

Sylvilagus audubonii

RODENTIA

Virginia opossum

LAGOMORPHS

Rabbits and Hares

Desert cottontail

RODENTIARODENTSSciuridaeSquirrels

Spermophilus beecheyi California ground squirrel

Geomyidae Pocket Gophers

Thomomys bottae Botta's pocket gopher Cricetidae Mice and Woodrats

Neotoma sp. Woodrat sp. Peromyscus maniculatus Deer mouse

PERISSODACTYLA PERISSODACTYLS

EquidaeHorsesEquus caballusHorse

ARTIODACTYLA ARTIODACTYLS

Cervidae Elk, Deer and Caribou

Odocoileus hemionus Mule deer
CARNIVORA CARNIVORES

Canidae Dogs, foxes and allies

Canis latrans Coyote

Canis familiaris Feral domestic dog

Urocyon cinerioargenteus Gray fox

Procyonidae Raccoons and Ringtails

Procyon lotor Raccoon

Mustelidae Weasels, Marten, and Allies

Mephitis mephitis Striped skunk

Felidae Cats

Felis concolor Mountain lion

Lynx rufus Bobcat